XXAY XI34'15 SET-UP SHEET Christmas Cup 2019 REAR UPRIGHT SHOCK TOWER **Karavan** TRACK STANDARD X NAME Andrey Monakhov DATE 14.01.2019 LOWER → SHIM DRIVE SHAFT SHIM STANDARD X STEERING BLOCK LAPS 21 **BEST LAP TIME** MEDIUM **DRIVE SHAFT** QUALIFYING POSITION **FINAL POSITION** 3 HARD X STANDARD X SHIM GRAPHITE TRACK SIZE OPEN **X** MEDIUM TIGHT LONGER BUSHINGS TRACK TRACTION × HIGH Low ROLL ENTER MEDIUN UP 000 (0) TRACK SURFACE × SMOOTH MEDIUM BUMPY REAR UPRIGHT DOWN X MEDIUM TRACK TYPE <u></u> HARD PACKED SOFT DIRT CLAY HARD LOWER SHOCK POSITION **X** CARPET BLUE GROOVE ASTRO TURF GRASS 1° 🗙 🗌 0.5° GRAPHITE $\overline{\Box}$ TRACK CONDITION DOWNSTOP #107701 SUPPORT BLOCKS DOWNSTOP ALU × DRY DUSTY WET MUD mm **DIFFERENTIAL TYPE** CASTER CASTER BLOCK SHOCK TOWER CASTER FRONT POSITION 6° MEDIUM GEAR DIFF 🔀 FRONT 🔀 🔲 REAR GEAR DIFF GEAR DIFF 9° × HARD × BALL DIFF SLIPPER > BALL DIFF 12° GRAPHITE **SHOCK POSITION** 10k 10k FRONT 🔀 🔲 REAR OFFSET ALU SATELLITE GEARS **BUMP STEER SHIM** COMPOSITE X сомроѕіте Г COMPOSITE OFFSET STEEL STEEL STEEL **CROWN GEAR** SLIPPER **CROWN GEAR** RAISING GEARBOX **UPRIGHT WHEELBASE** /slots COMPOSITE COMPOSITE 0 SHIM YES 🔀 🔲 NO STEEL STEEL LIPPER ADJUSTMENT IN FRONT OF ARM RONT ALU ALU X 1° 1° X **⋉** ALU COMPOSITE COMPOSITE ROLL CENTER PINION - RF --0.5° 0.5° ☐ BRASS STEEL 🗶 STEEL 2mm 🗙 🔲 0mm ECCENTRIC BUSHINGS GEARING X ALU X 1° 1°X RR ☐ BRASS SPUR GEAR PINION 81 0.5° 0.5° RONT **SHOCKS** REAR OUT FRONT TOE REAR TOE **SPRINGS** 750 OIL 42.5ta min **REBOUND** min **BUMP STEER SHIM GRAPHITE FOR** REAR BRACE **PISTONS ARM SHIM** OPTIONAL ALU STEERING PLATE YES ø1.2mm X 2 HOLES 2 HOLES 🔀 #362574 NO ø1.3mm SERVO SAVER 3 HOLES 🗌 ☐ 3 HOLES ø1.4mm SOFT REAR BRACE ARM SHIM UPPER PLATE MFDIUM MEDIUN ø1.6mm TIGHT ☐ 6 HOLES 6 HOLES 🔲 STANDARD HARD ø1.7mm 🔀 MATERIAL STEERING BRACE X **CUSTOM PISTONS ₩ E** STANDARD GRAPHITE **ERONT** REAR RONT **ANTI ROLL BAR** REAR FRONT ARM REAR ARM 2 FRONT CAMBER 2.5 REAR CAMBER THICKNESS 1.8 MEDIUM MEDIUM П 0 HARD HARD 0 REAR RONT **TIRES** GRAPHITE GRAPHITE **BRAND Fusion** DOWNSTOP SHIM DOWNSTOP SHIM Yellow COMPOUND Yellow **INSERTS** D/2 LENGTH LENGTH WHEELS **ELECTRONICS UPSTOP SHIM UPSTOP SHIM** RIDE HEIGHT RIDE HEIGHT RIDE HEIGHT MOTOR HW 5.5 HW XR10 **SPEEDO** 14 MOTOR TIMING 40 IRP 4200 BATTERY REAR BODY BALANCE CHASSIS BALANCE **ELECTRONICS LAYOUT** STANDARD 🔀 STANDARD X 8 WING THICKNESS MOTOR POSITION FRONT X REAR LIGHT ψ X **BATTERY POSITION** REAR 1.5mm 2.0mm **BATTERY SIZE** STD. SHORT × LOW SHORT TYPE 0 **COMMENTS** WING CUTTING LINE (a)(a) 0 **CHASSIS FLEX** SIDE GUARDS SCREW USED MEDIUM SCREW NOT USED BALANCE BALANCE HARD GRONT REAR